

KMCH INSTITUTE OF HEALTH SCIENCES AND RESEARCH (A unit of Kovai Medical Center and Hospital Limited) Coimbatore, Tamil Nadu

Department Of Pharmacology New Drug Update

(New Drugs and Available Drugs with New Formulation)



New drugs approved by FDA

- 1. Fostemsavir
- 2. Remimazolam
- 3. Adalimumab-fkjp (Biosimilar)
- 4. Collagenase clostridium histolyticum-aaes
- 5. Decitabine and cedazuridine
- 6. Oxymetazoline hydrochloride
- 7. Calcipotriene and betamethasone dipropionate
- 8. Calcium, magnesium, potassium, and sodium oxybates
- 9. Budesonide/glycopyrrolate/formoterol fumarate
- 10. Abametapir
- 11. Brexucabtagene autoleucel
- 12. Tafasitamab-cxix

New drugs approved by CDSCO

- 13. Favipiravir
- 14. n-alkyl dimethyl benzyl ammonium chloride

1. Fostemsavir

Date of Approval: July 2, 2020

Mechanism of action: Converted into active form temsavir and inhibits gp120-directed

attachment of HIV

Indication: HIV Infection type 1

Dosage Formulation: Extended-Release Tablets

2. Remimazolam

Date of Approval: , July 2, 2020

Mechanism of action: Potentiate the effects of GABAA-receptor (ultrashort acting

benzodiazepine)

Indication: Induction and maintenance of anaesthesia for short procedures

Dosage Formulation: IV injection

3. Adalimumab-fkjp (Biosimilar)

Date of Approval: July 6, 2020

Mechanism of action: Tumor necrosis factor - a blocker

Indication: Rheumatoid arthritis, Juvenile idiopathic arthritis, Psoriatic arthritis,

Ankylosing spondylitis, Crohn's disease, Ulcerative colitis, Plaque psoriasis

Dosage Formulation: Subcutaneous injection

4. Collagenase clostridium histolyticum-aaes

Date of Approval: July 6, 2020

Mechanism of action: Protease enzymes, hydrolyze collagen's triple-helical conformation

and lyses collagen deposits

Indication: Moderate to severe cellulite

Dosage Formulation: Intralesional injection

5. Decitabine and cedazuridine

Date of Approval: July 7, 2020

Mechanism of action: Nucleoside metabolic inhibitor and cytidine deaminase inhibitor

Indication: Myelodysplastic syndromes

Dosage Formulation: IV injection

6. Oxymetazoline hydrochloride

Date of Approval: July 8, 2020

Mechanism of action: a2-adrenergic receptor agonist

Indication: Blepharoptosis

Dosage Formulation: 0.1% Ophthalmic solution

7. Calcipotriene and betamethasone dipropionate

Date of Approval: July 20, 2020

Mechanism of action: Vitamin D analogue, and corticosteroid combination. Reduces redness,

thickening, and scaling of the skin

Indication: Plaque psoriasis

Dosage Formulation: Cream

8. Calcium, magnesium, potassium, and sodium oxybates

Date of Approval: July 21, 2020

Mechanism of action: Hypothesized that action is mediated through GABAB actions during

sleep at noradrenergic and dopaminergic neurons

Indication: Narcolepsy

Dosage Formulation: Oral solution

9. Budesonide/glycopyrrolate/formoterol fumarate

Date of Approval: July 23, 2020

Mechanism of action: Combination of corticosteroid, muscarinic antagonist, beta agonist

Indication: Maintenance therapy in COPD Dosage Formulation: Metered dose inhaler

10. Abametapir

Date of Approval: July 24, 2020

Mechanism of action: Metalloproteinase inhibitor. Inhibits egg development and survival of

lice

Indication: Head lice infestation

Dosage Formulation: Lotion

11. Brexucabtagene autoleucel

Date of Approval: July 24, 2020

Mechanism of action: First cell based gene therapy. CD19-directed genetically modified

autologous T cell immunotherapy

Indication: Used in combination with lenalidomide for diffuse large B-cell lymphoma

Dosage Formulation: IV infusion

12. Tafasitamab-cxix

Date of Approval: July 31, 2020

Mechanism of action: CD19-directed cytolytic antibody

Indication: Refractory mantle cell lymphoma

Dosage Formulation: IV injection

13. Favipiravir

Date of Approval: July 22, 2020

Mechanism of action: Inhibits RNA-dependent RNA polymerase

Indication: Mild to moderate COVID 19

Dosage Formulation: Film coated tablet

14. n-alkyl dimethyl benzyl ammonium chloride

Date of Approval: July 31, 2020

Mechanism of action: Quaternary ammonium compound with surfactant properties

Indication: Antiseptic agent for hands and inanimate object

Dosage Formulation: 0.105% spray